

Endovascular Management of Pseudoaneurysms Following Lower Limb Orthopedic Surgery

Am J Orthop. 2008 May;37(5):E99-E102

Authors:

Sadat U Naik J Verma P See TC Cousins C Chitnavis JP Varty K Gaunt M

Author Affiliation | **Disclosures**

Umar Sadat, MRCS, Jagjeeth Naik, MD, FRCS, Parvesh Verma, MB BS, Teikchoon C. See, FRCS, FRCR, Claire Cousins, FRCP, FRCR, Jai P. Chitnavis, M Chir, FRCS, Kevin Varty, MD, FRCS, and Michael E. Gaunt, MD, FRCS

Dr. Sadat is Clinical Research Associate, Vascular Imaging, and Fellow in Vascular Surgery; Dr. Naik is Specialist Registrar; Dr. Verma is Senior House Officer, Cambridge Vascular Unit; Dr. See is Consultant Interventional Radiologist, and Dr. Cousins is Consultant Interventional Radiologist, University Department of Radiology; Dr. Chitnavis is Consultant Orthopaedic Surgeon, University Department of Orthopaedics; Dr. Varty is Consultant Vascular Surgeon, and Dr. Gaunt is Consultant Vascular Surgeon, Cambridge Vascular Unit, all at Addenbrooke's Hospital, NHS Foundation Trust, Cambridge University Hospitals, Cambridge, England.

[Download pdf](#)

Top Articles

- **Knee**

Review of Common Clinical Conditions of the Proximal Tibiofibular Joint

- **Hip // Arthroscopy**

Preoperative Corticosteroid Use for Medical Conditions is Associated with Increased Postoperative Infectious Complications and Readmissions After Total Hip Arthroplasty: A Propensity-Matched Study

- **Hip // Arthroplasty**

Trends in Utilization of Total Hip Arthroplasty for Femoral Neck Fractures in the United States

- **Knee // Arthroplasty**

Incidental Asymptomatic Fibular Stress Fractures Presenting as Varus Knee Osteoarthritis: A Case Report

Shoulder & Elbow

Arthroscopic SLAP IIB Repair Using Knot-Tying Versus Knotless Suture Anchors: Is There a Difference?

• **Knee**

Review of Common Clinical Conditions of the Proximal Tibiofibular Joint

• **Hip // Arthroscopy**

Preoperative Corticosteroid Use for Medical Conditions is Associated with Increased Postoperative Infectious Complications and Readmissions After Total Hip Arthroplasty: A Propensity-Matched Study

• **Hip // Arthroplasty**

Trends in Utilization of Total Hip Arthroplasty for Femoral Neck Fractures in the United States

• **Knee // Arthroplasty**

Incidental Asymptomatic Fibular Stress Fractures Presenting as Varus Knee Osteoarthritis: A Case Report

• **Shoulder & Elbow**

Arthroscopic SLAP IIB Repair Using Knot-Tying Versus Knotless Suture Anchors: Is There a Difference?

• **Commentary**

Editorial Board Biographies

• **Practice Management // Education Center**

Update on Internet-Based Orthopedic Registries

• [STRATAFIX™ Symmetric PDS™ Plus Knotless Tissue Control Device](#)

• [STRATAFIX™ Spiral Knotless Tissue Control Device](#)

• [BioComposite SwiveLock Anchor](#)

• [BioComposite SwiveLock C, with White/Black TigerTape™ Loop](#)

×

×

•

Citation

Sadat U Naik J Verma P See TC Cousins C Chitnavis JP Varty K Gaunt M . Endovascular Management of Pseudoaneurysms Following Lower Limb Orthopedic Surgery. *Am J Orthop*. 2008 May;37(5):E99-E102

Sadat U